



AD-350

Electro-Hydraulic Operating Table

A commercial model: OT-8200

Engineered for increasingly complex surgical scenes, AD-350

comes with extreme weight capacity up to 250 kg guaranteeing highest

safety and stability in any position. With longitudinal slide up to 300 mm, it is

ideally suitable for cardiovascular surgery with C-arm. The modular design

tabletop enables it to be tailored for various surgical discipline needs.

- ❖ Longitudinal slide up to 300 mm for free access to C-arm
- ❖ Extreme weight load capacity of 250 kg with highest safety and stability
- ❖ Multi-layer decompression pad with antistatic, waterproof and seamless design
- ❖ 500 mm lowest table position for Neurosurgery





AD-350

Electro-Hydraulic Operating Table

A commercial model: OT-8200

- It applies a microcomputer control and adopts advanced electro-hydraulic drive technology instead of traditional electric pushing rod drive technology, realizing more accurate body positions as well as more uniform and smooth running speed.





AD-350

A commercial model: OT-8200

Technical Specification

Tabletop L * W	2100*520mm
The height adjustment distance	500mm
Height Adjustment(with mattress)	550mm-1050mm
Trendelenburg / Re-trendelenburg	±30°
Left/Right Tilt	± 20°
Leg Section(up/down/ spread Horizontal)	+15°/-90°/90°
Back section(up/down)	+80°/-40°
Manual Adjustment of Head Plate(up/down)	+60°/-90°
Longitudinal slide of tabletop to head	300mm
One bottom for zero position	Yes
Panel control	Yes
Battery	Yes
One bottom flex/reflex position	Yes
Working load	250kgs
Power	220V 50HZ



Standard accessories

Item Name	Quantity
Anesthetic screen frame	1 piece
Kidney bridge handle	1piece
Shoulder support	1 pair
Body support	1 pair
Arm support	1 pair
Long fixing clamp	3 pieces
Leg support	1 pair
Fixing clamp	2 pieces
Hand remote	1piece
Mattress	1 set
Power line	1 piece

Note:

AD-350 with Normal remote control

OT-8200 with Advance remote Control

